

Package ‘dtreg’

September 16, 2024

Title Interact with Data Type Registries and Create Machine-Readable Data

Version 1.0.0

Description You can load a schema from a DTR (data type registry) as an R object. Use this schema to write your data in JSON-LD (JavaScript Object Notation for Linked Data) format to make it machine readable.

License MIT + file LICENSE

URL <https://gitlab.com/TIBHannover/orkg/dtreg-r>

BugReports <https://gitlab.com/TIBHannover/orkg/dtreg-r/-/issues>

Imports httr2, jsonlite, methods, R6, stringr

Suggests knitr, rmarkdown, sets, stats, testthat (>= 3.0.0)

VignetteBuilder knitr

Config/testthat/edition 3

Encoding UTF-8

RoxygenNote 7.2.3

NeedsCompilation no

Author Olga Lezhnina [aut, cre] (<<https://orcid.org/0000-0003-2237-7725>>),
Manuel Prinz [aut] (<<https://orcid.org/0000-0003-2151-4556>>),
Markus Stocker [aut] (<<https://orcid.org/0000-0001-5492-3212>>),
Open Research Knowledge Graph Project and Contributors [cph]

Maintainer Olga Lezhnina <olga.lezhnina@tib.eu>

Repository CRAN

Date/Publication 2024-09-16 14:50:02 UTC

Contents

load_datatype	2
show_fields	2
to_jsonld	3

Index	4
--------------	----------

load_datatype	<i>Load classes for a schema with the known identifier</i>
---------------	--

Description

Load a list of R6 classes for a schema identifier, such as an ePIC datatype DOI or an ORKG template URL. The classes contain information of the requested schema and nested schemata.

Usage

```
load_datatype(datatype_id)
```

Arguments

datatype_id A schema identifier, such as a DOI or a URL

Value

A list of R6 classes

Examples

```
dt <- dtreg::load_datatype("https://doi.org/21.T11969/1ea0e148d9bbe08335cd")
```

show_fields	<i>Show schema fields</i>
-------------	---------------------------

Description

Show which fields of a schema can be used for creating an instance

Usage

```
show_fields(datatype)
```

Arguments

datatype An R6 class from dtreg::load_datatype

Value

A character vector of available fields

Examples

```
dt <- dtreg::load_datatype("https://doi.org/21.T11969/74bc7748b8cd520908bc")
dtreg::show_fields(dt$inferential_test_output())
```

`to_jsonld`*Write an instance in JSON-LD format*

Description

Write an instance of a schema-related class in JSON-LD format as a string

Usage

```
to_jsonld(instance)
```

Arguments

`instance` An instance of an R6 class

Value

JSON string in JSON-LD format

Examples

```
dt <- dtreg::load_datatype("https://doi.org/21.T11969/74bc7748b8cd520908bc")
instance <- dt$inferential_test_output(label = "my_results")
result <- dtreg::to_jsonld(instance)
```

Index

`load_datatype`, [2](#)

`show_fields`, [2](#)

`to_jsonld`, [3](#)