

Package ‘passt’

October 14, 2022

Type Package

Title Probability Associator Time (PASS-T)

Version 0.1.3

Description Simulates judgments of frequency and duration based on the Probability Associator Time (PASS-T) model. PASS-T is a memory model based on a simple competitive artificial neural network. It can imitate human judgments of frequency and duration, which have been extensively studied in cognitive psychology (e.g. Hintzman (1970) <[doi:10.1037/h0028865](https://doi.org/10.1037/h0028865)>, Betsch et al. (2010) <<https://psycnet.apa.org/record/2010-18204-003>>). The PASS-T model is an extension of the PASS model (Sedlmeier, 2002, ISBN:0198508638). The package provides an easy way to run simulations, which can then be compared with empirical data in human judgments of frequency and duration.

License GPL-3

Encoding UTF-8

RoxygenNote 7.0.2

URL <https://github.com/johannes-titz/passt>

BugReports <https://github.com/johannes-titz/passt/issues>

Suggests knitr, ggplot2, plyr, testthat (>= 2.1.0), covr, markdown, rmarkdown

VignetteBuilder knitr

Imports magrittr, methods, dplyr, tidyr, rlang

NeedsCompilation no

Author Johannes Titz [aut, cre]

Maintainer Johannes Titz <johannes.titz@gmail.com>

Repository CRAN

Date/Publication 2021-05-03 14:30:02 UTC

R topics documented:

run_exp	2
run_sim	3

Index	5
--------------	----------

run_exp	<i>Run simulations and analyze data</i>
---------	---

Description

Runs several simulations and returns correlative effect sizes between the frequency/total duration/single duration of each pattern and the output activation of the network for each pattern, respectively. Comparable to running an empirical experiment in judgments of frequency and duration and analyzing the data.

Usage

```
run_exp(
  frequency,
  duration,
  lrate_onset,
  lrate_drop_time,
  lrate_drop_perc,
  patterns = diag(length(duration)),
  number_of_participants = 100,
  cor_noise_sd = 0
)
```

Arguments

frequency	presentation frequency for each pattern in the matrix
duration	presentation duration for each pattern in the matrix
lrate_onset	learning rate at the onset of a stimulus
lrate_drop_time	point at which the learning rate drops, must be lower than duration
lrate_drop_perc	how much the learning rate drops at lrate_drop_time
patterns	matrix with input patterns, one row is one pattern
number_of_participants	corresponds with number of simulations run
cor_noise_sd	the amount of noise added to the final activations of the network, set to 0 if you do not want any noise

Value

data frame with three columns: f_dv, td_dv, t_dv which are the correlations between the frequency/total duration/single duration of each pattern and the activation of the network for each pattern, respectively.

See Also

[run_sim](#)

Examples

```
run_exp(10:1, 1:10, 0.05, 2, 0.2)
```

run_sim	<i>Run simulations</i>
---------	------------------------

Description

Runs several simulations and returns output activation for each simulation and each input pattern

Usage

```
run_sim(
  patterns,
  frequency,
  duration,
  lrate_onset,
  lrate_drop_time,
  lrate_drop_perc,
  n_runs = 100,
  n_output_units = ncol(patterns),
  pulses_per_second = 1
)
```

Arguments

patterns	matrix with input patterns, one row is one pattern
frequency	presentation frequency for each pattern in the matrix
duration	presentation duration for each pattern in the matrix
lrate_onset	learning rate at the onset of a stimulus
lrate_drop_time	point at which the learning rate drops, must be lower than duration
lrate_drop_perc	how much the learning rate drops at lrate_drop_time
n_runs	number of simulations to be run, default is 100
n_output_units	number of output units, defaults to number of input units
pulses_per_second	how many time steps should be simulated per second

Value

list with following elements

- output: the sum of the activation strengths of the output units for each input pattern
- weight_matrix: final weight_matrix
- pres_matrix: presentation matrix

See Also

[run_exp](#)

Examples

```
run_sim(diag(10), 1:10, 10:1, 0.05, 2, 0.2)
```

Index

run_exp, 2, 4
run_sim, 3, 3