

# Package ‘paws.end.user.computing’

May 10, 2024

**Title** 'Amazon Web Services' End User Computing Services

**Version** 0.6.0

**Description** Interface to 'Amazon Web Services' end user computing services, including collaborative document editing, mobile intranet, and more <<https://aws.amazon.com/>>.

**License** Apache License (>= 2.0)

**URL** <https://github.com/paws-r/paws>

**BugReports** <https://github.com/paws-r/paws/issues>

**Imports** paws.common (>= 0.6.0)

**Suggests** testthat

**Encoding** UTF-8

**RoxygenNote** 7.3.1

**Collate** 'appstream\_service.R' 'appstream\_interfaces.R'  
'appstream\_operations.R' 'ivschat\_service.R'  
'ivschat\_interfaces.R' 'ivschat\_operations.R'  
'nimblestudio\_service.R' 'nimblestudio\_interfaces.R'  
'nimblestudio\_operations.R' 'reexports\_paws.common.R'  
'workdocs\_service.R' 'workdocs\_interfaces.R'  
'workdocs\_operations.R' 'worklink\_service.R'  
'worklink\_interfaces.R' 'worklink\_operations.R'  
'workmail\_service.R' 'workmail\_interfaces.R'  
'workmail\_operations.R' 'workmailmessageflow\_service.R'  
'workmailmessageflow\_interfaces.R'  
'workmailmessageflow\_operations.R' 'workspaces\_service.R'  
'workspaces\_interfaces.R' 'workspaces\_operations.R'  
'workspacesweb\_service.R' 'workspacesweb\_interfaces.R'  
'workspacesweb\_operations.R'

**NeedsCompilation** no

**Author** David Kretch [aut],  
Adam Banker [aut],  
Dyfan Jones [cre],  
Amazon.com, Inc. [cph]

**Maintainer** Dyfan Jones <dyfan.r.jones@gmail.com>

**Repository** CRAN

**Date/Publication** 2024-05-10 16:10:02 UTC

## R topics documented:

appstream . . . . .	2
ivschat . . . . .	6
nimblestudio . . . . .	11
workdocs . . . . .	14
worklink . . . . .	18
workmail . . . . .	21
workmailmessageflow . . . . .	25
workspaces . . . . .	27
workspacesweb . . . . .	32
<b>Index</b>	<b>36</b>

---

appstream	<i>Amazon AppStream</i>
-----------	-------------------------

---

## Description

### Amazon AppStream 2.0

This is the *Amazon AppStream 2.0 API Reference*. This documentation provides descriptions and syntax for each of the actions and data types in AppStream 2.0. AppStream 2.0 is a fully managed, secure application streaming service that lets you stream desktop applications to users without rewriting applications. AppStream 2.0 manages the AWS resources that are required to host and run your applications, scales automatically, and provides access to your users on demand.

You can call the AppStream 2.0 API operations by using an interface VPC endpoint (interface endpoint). For more information, see [Access AppStream 2.0 API Operations and CLI Commands Through an Interface VPC Endpoint](#) in the *Amazon AppStream 2.0 Administration Guide*.

To learn more about AppStream 2.0, see the following resources:

- [Amazon AppStream 2.0 product page](#)
- [Amazon AppStream 2.0 documentation](#)

## Usage

```
appstream(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

## Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> <li>• <b>credentials:</b> <ul style="list-style-type: none"> <li>– <b>creds:</b> <ul style="list-style-type: none"> <li>* <b>access_key_id:</b> AWS access key ID</li> <li>* <b>secret_access_key:</b> AWS secret access key</li> <li>* <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>– <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous:</b> Set anonymous credentials.</li> </ul> </li> <li>• <b>endpoint:</b> The complete URL to use for the constructed client.</li> <li>• <b>region:</b> The AWS Region used in instantiating the client.</li> <li>• <b>close_connection:</b> Immediately close all HTTP connections.</li> <li>• <b>timeout:</b> The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style:</b> Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint:</b> Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds:</b> <ul style="list-style-type: none"> <li>– <b>access_key_id:</b> AWS access key ID</li> <li>– <b>secret_access_key:</b> AWS secret access key</li> <li>– <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>• <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous:</b> Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

## Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

## Service syntax

```
svc <- appstream(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical",
sts_regional_endpoint = "string"
),
credentials = list(
  creds = list(
    access_key_id = "string",
    secret_access_key = "string",
    session_token = "string"
  ),
  profile = "string",
  anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

## Operations

<a href="#">associate_app_block_builder_app_block</a>	Associates the specified app block builder with the specified app block
<a href="#">associate_application_fleet</a>	Associates the specified application with the specified fleet
<a href="#">associate_application_to_entitlement</a>	Associates an application to entitlement
<a href="#">associate_fleet</a>	Associates the specified fleet with the specified stack
<a href="#">batch_associate_user_stack</a>	Associates the specified users with the specified stacks
<a href="#">batch_disassociate_user_stack</a>	Disassociates the specified users from the specified stacks
<a href="#">copy_image</a>	Copies the image within the same region or to a new region within the
<a href="#">create_app_block</a>	Creates an app block
<a href="#">create_app_block_builder</a>	Creates an app block builder
<a href="#">create_app_block_builder_streaming_url</a>	Creates a URL to start a create app block builder streaming session
<a href="#">create_application</a>	Creates an application
<a href="#">create_directory_config</a>	Creates a Directory Config object in AppStream 2
<a href="#">create_entitlement</a>	Creates a new entitlement
<a href="#">create_fleet</a>	Creates a fleet
<a href="#">create_image_builder</a>	Creates an image builder
<a href="#">create_image_builder_streaming_url</a>	Creates a URL to start an image builder streaming session
<a href="#">create_stack</a>	Creates a stack to start streaming applications to users
<a href="#">create_streaming_url</a>	Creates a temporary URL to start an AppStream 2
<a href="#">create_updated_image</a>	Creates a new image with the latest Windows operating system update
<a href="#">create_usage_report_subscription</a>	Creates a usage report subscription

create_user	Creates a new user in the user pool
delete_app_block	Deletes an app block
delete_app_block_builder	Deletes an app block builder
delete_application	Deletes an application
delete_directory_config	Deletes the specified Directory Config object from AppStream 2
delete_entitlement	Deletes the specified entitlement
delete_fleet	Deletes the specified fleet
delete_image	Deletes the specified image
delete_image_builder	Deletes the specified image builder and releases the capacity
delete_image_permissions	Deletes permissions for the specified private image
delete_stack	Deletes the specified stack
delete_usage_report_subscription	Disables usage report generation
delete_user	Deletes a user from the user pool
describe_app_block_builder_app_block_associations	Retrieves a list that describes one or more app block builder associations
describe_app_block_builders	Retrieves a list that describes one or more app block builders
describe_app_blocks	Retrieves a list that describes one or more app blocks
describe_application_fleet_associations	Retrieves a list that describes one or more application fleet associations
describe_applications	Retrieves a list that describes one or more applications
describe_directory_configs	Retrieves a list that describes one or more specified Directory Config objects
describe_entitlements	Retrieves a list that describes one or more entitlements
describe_fleets	Retrieves a list that describes one or more specified fleets, if the fleet name is specified
describe_image_builders	Retrieves a list that describes one or more specified image builders, if the image builder name is specified
describe_image_permissions	Retrieves a list that describes the permissions for shared AWS account images
describe_images	Retrieves a list that describes one or more specified images, if the image name is specified
describe_sessions	Retrieves a list that describes the streaming sessions for a specified stack
describe_stacks	Retrieves a list that describes one or more specified stacks, if the stack name is specified
describe_usage_report_subscriptions	Retrieves a list that describes one or more usage report subscriptions
describe_users	Retrieves a list that describes one or more specified users in the user pool
describe_user_stack_associations	Retrieves a list that describes the UserStackAssociation objects
disable_user	Disables the specified user in the user pool
disassociate_app_block_builder_app_block	Disassociates a specified app block builder from a specified app block
disassociate_application_fleet	Disassociates the specified application from the fleet
disassociate_application_from_entitlement	Deletes the specified application from the specified entitlement
disassociate_fleet	Disassociates the specified fleet from the specified stack
enable_user	Enables a user in the user pool
expire_session	Immediately stops the specified streaming session
list_associated_fleets	Retrieves the name of the fleet that is associated with the specified stack
list_associated_stacks	Retrieves the name of the stack with which the specified fleet is associated
list_entitled_applications	Retrieves a list of entitled applications
list_tags_for_resource	Retrieves a list of all tags for the specified AppStream 2 resource
start_app_block_builder	Starts an app block builder
start_fleet	Starts the specified fleet
start_image_builder	Starts the specified image builder
stop_app_block_builder	Stops an app block builder
stop_fleet	Stops the specified fleet
stop_image_builder	Stops the specified image builder
tag_resource	Adds or overwrites one or more tags for the specified AppStream 2 resource
untag_resource	Disassociates one or more specified tags from the specified AppStream 2 resource

<a href="#">update_app_block_builder</a>	Updates an app block builder
<a href="#">update_application</a>	Updates the specified application
<a href="#">update_directory_config</a>	Updates the specified Directory Config object in AppStream 2
<a href="#">update_entitlement</a>	Updates the specified entitlement
<a href="#">update_fleet</a>	Updates the specified fleet
<a href="#">update_image_permissions</a>	Adds or updates permissions for the specified private image
<a href="#">update_stack</a>	Updates the specified fields for the specified stack

## Examples

```
## Not run:
svc <- appstream()
svc$associate_app_block_builder_app_block(
  Foo = 123
)

## End(Not run)
```

---

 ivschat

---

*Amazon Interactive Video Service Chat*


---

## Description

### Introduction

The Amazon IVS Chat control-plane API enables you to create and manage Amazon IVS Chat resources. You also need to integrate with the [Amazon IVS Chat Messaging API](#), to enable users to interact with chat rooms in real time.

The API is an AWS regional service. For a list of supported regions and Amazon IVS Chat HTTPS service endpoints, see the Amazon IVS Chat information on the [Amazon IVS page](#) in the *AWS General Reference*.

### Notes on terminology:

- You create service applications using the Amazon IVS Chat API. We refer to these as *applications*.
- You create front-end client applications (browser and Android/iOS apps) using the Amazon IVS Chat Messaging API. We refer to these as *clients*.

### Key Concepts

- **LoggingConfiguration** — A configuration that allows customers to store and record sent messages in a chat room.
- **Room** — The central Amazon IVS Chat resource through which clients connect to and exchange chat messages.

## Tagging

A *tag* is a metadata label that you assign to an AWS resource. A tag comprises a *key* and a *value*, both set by you. For example, you might set a tag as `topic:nature` to label a particular video category. See [Tagging AWS Resources](#) for more information, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS Chat has no service-specific constraints beyond what is documented there.

Tags can help you identify and organize your AWS resources. For example, you can use the same tag for different resources to indicate that they are related. You can also use tags to manage access (see [Access Tags](#)).

The Amazon IVS Chat API has these tag-related endpoints: [tag\\_resource](#), [untag\\_resource](#), and [list\\_tags\\_for\\_resource](#). The following resource supports tagging: Room.

At most 50 tags can be applied to a resource.

## API Access Security

Your Amazon IVS Chat applications (service applications and clients) must be authenticated and authorized to access Amazon IVS Chat resources. Note the differences between these concepts:

- *Authentication* is about verifying identity. Requests to the Amazon IVS Chat API must be signed to verify your identity.
- *Authorization* is about granting permissions. Your IAM roles need to have permissions for Amazon IVS Chat API requests.

Users (viewers) connect to a room using secure access tokens that you create using the [create\\_chat\\_token](#) endpoint through the AWS SDK. You call `CreateChatToken` for every user's chat session, passing identity and authorization information about the user.

## Signing API Requests

HTTP API requests must be signed with an AWS SigV4 signature using your AWS security credentials. The AWS Command Line Interface (CLI) and the AWS SDKs take care of signing the underlying API calls for you. However, if your application calls the Amazon IVS Chat HTTP API directly, it's your responsibility to sign the requests.

You generate a signature using valid AWS credentials for an IAM role that has permission to perform the requested action. For example, `DeleteMessage` requests must be made using an IAM role that has the `ivschat:DeleteMessage` permission.

For more information:

- Authentication and generating signatures — See [Authenticating Requests \(Amazon Web Services Signature Version 4\)](#) in the *Amazon Web Services General Reference*.
- Managing Amazon IVS permissions — See [Identity and Access Management](#) on the Security page of the *Amazon IVS User Guide*.

## Amazon Resource Names (ARNs)

ARNs uniquely identify AWS resources. An ARN is required when you need to specify a resource unambiguously across all of AWS, such as in IAM policies and API calls. For more information, see [Amazon Resource Names](#) in the *AWS General Reference*.

## Messaging Endpoints

- `delete_message` — Sends an event to a specific room which directs clients to delete a specific message; that is, unrender it from view and delete it from the client’s chat history. This event’s `EventName` is `aws:DELETE_MESSAGE`. This replicates the `DeleteMessage` WebSocket operation in the Amazon IVS Chat Messaging API.
- `disconnect_user` — Disconnects all connections using a specified user ID from a room. This replicates the `DisconnectUser` WebSocket operation in the Amazon IVS Chat Messaging API.
- `send_event` — Sends an event to a room. Use this within your application’s business logic to send events to clients of a room; e.g., to notify clients to change the way the chat UI is rendered.

### Chat Token Endpoint

- `create_chat_token` — Creates an encrypted token that is used by a chat participant to establish an individual WebSocket chat connection to a room. When the token is used to connect to chat, the connection is valid for the session duration specified in the request. The token becomes invalid at the token-expiration timestamp included in the response.

### Room Endpoints

- `create_room` — Creates a room that allows clients to connect and pass messages.
- `delete_room` — Deletes the specified room.
- `get_room` — Gets the specified room.
- `list_rooms` — Gets summary information about all your rooms in the AWS region where the API request is processed.
- `update_room` — Updates a room’s configuration.

### Logging Configuration Endpoints

- `create_logging_configuration` — Creates a logging configuration that allows clients to store and record sent messages.
- `delete_logging_configuration` — Deletes the specified logging configuration.
- `get_logging_configuration` — Gets the specified logging configuration.
- `list_logging_configurations` — Gets summary information about all your logging configurations in the AWS region where the API request is processed.
- `update_logging_configuration` — Updates a specified logging configuration.

### Tags Endpoints

- `list_tags_for_resource` — Gets information about AWS tags for the specified ARN.
- `tag_resource` — Adds or updates tags for the AWS resource with the specified ARN.
- `untag_resource` — Removes tags from the resource with the specified ARN.

All the above are HTTP operations. There is a separate *messaging* API for managing Chat resources; see the [Amazon IVS Chat Messaging API Reference](#).

### Usage

```
ivschat(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```



## Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> <li>• <b>credentials:</b> <ul style="list-style-type: none"> <li>– <b>creds:</b> <ul style="list-style-type: none"> <li>* <b>access_key_id:</b> AWS access key ID</li> <li>* <b>secret_access_key:</b> AWS secret access key</li> <li>* <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>– <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous:</b> Set anonymous credentials.</li> </ul> </li> <li>• <b>endpoint:</b> The complete URL to use for the constructed client.</li> <li>• <b>region:</b> The AWS Region used in instantiating the client.</li> <li>• <b>close_connection:</b> Immediately close all HTTP connections.</li> <li>• <b>timeout:</b> The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style:</b> Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint:</b> Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds:</b> <ul style="list-style-type: none"> <li>– <b>access_key_id:</b> AWS access key ID</li> <li>– <b>secret_access_key:</b> AWS secret access key</li> <li>– <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>• <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous:</b> Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

## Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

## Service syntax

```
svc <- ivschat(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical",
sts_regional_endpoint = "string"
),
credentials = list(
    creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

## Operations

<a href="#">create_chat_token</a>	Creates an encrypted token that is used by a chat participant to establish an individual WebSoc
<a href="#">create_logging_configuration</a>	Creates a logging configuration that allows clients to store and record sent messages
<a href="#">create_room</a>	Creates a room that allows clients to connect and pass messages
<a href="#">delete_logging_configuration</a>	Deletes the specified logging configuration
<a href="#">delete_message</a>	Sends an event to a specific room which directs clients to delete a specific message; that is, un
<a href="#">delete_room</a>	Deletes the specified room
<a href="#">disconnect_user</a>	Disconnects all connections using a specified user ID from a room
<a href="#">get_logging_configuration</a>	Gets the specified logging configuration
<a href="#">get_room</a>	Gets the specified room
<a href="#">list_logging_configurations</a>	Gets summary information about all your logging configurations in the AWS region where th
<a href="#">list_rooms</a>	Gets summary information about all your rooms in the AWS region where the API request is
<a href="#">list_tags_for_resource</a>	Gets information about AWS tags for the specified ARN
<a href="#">send_event</a>	Sends an event to a room
<a href="#">tag_resource</a>	Adds or updates tags for the AWS resource with the specified ARN
<a href="#">untag_resource</a>	Removes tags from the resource with the specified ARN
<a href="#">update_logging_configuration</a>	Updates a specified logging configuration
<a href="#">update_room</a>	Updates a room's configuration

**Examples**

```
## Not run:
svc <- ivschat()
svc$create_chat_token(
  Foo = 123
)

## End(Not run)
```

---

nimblestudio

*AmazonNimbleStudio*


---

**Description**

Welcome to the Amazon Nimble Studio API reference. This API reference provides methods, schema, resources, parameters, and more to help you get the most out of Nimble Studio.

Nimble Studio is a virtual studio that empowers visual effects, animation, and interactive content teams to create content securely within a scalable, private cloud service.

**Usage**

```
nimblestudio(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

**Arguments**

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
  - **creds:**
    - \* **access\_key\_id:** AWS access key ID
    - \* **secret\_access\_key:** AWS secret access key
    - \* **session\_token:** AWS temporary session token
  - **profile:** The name of a profile to use. If not given, then the default profile is used.
  - **anonymous:** Set anonymous credentials.
- **endpoint:** The complete URL to use for the constructed client.
- **region:** The AWS Region used in instantiating the client.
- **close\_connection:** Immediately close all HTTP connections.
- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

	<ul style="list-style-type: none"> <li>• <b>s3_force_path_style</b>: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint</b>: Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> <li>• <b>creds</b>: <ul style="list-style-type: none"> <li>– <b>access_key_id</b>: AWS access key ID</li> <li>– <b>secret_access_key</b>: AWS secret access key</li> <li>– <b>session_token</b>: AWS temporary session token</li> </ul> </li> <li>• <b>profile</b>: The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous</b>: Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

## Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

## Service syntax

```
svc <- nimblestudio(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    )
  )
)
```

```

    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

## Operations

<a href="#">accept_eulas</a>	Accept EULAs
<a href="#">create_launch_profile</a>	Create a launch profile
<a href="#">create_streaming_image</a>	Creates a streaming image resource in a studio
<a href="#">create_streaming_session</a>	Creates a streaming session in a studio
<a href="#">create_streaming_session_stream</a>	Creates a streaming session stream for a streaming session
<a href="#">create_studio</a>	Create a new studio
<a href="#">create_studio_component</a>	Creates a studio component resource
<a href="#">delete_launch_profile</a>	Permanently delete a launch profile
<a href="#">delete_launch_profile_member</a>	Delete a user from launch profile membership
<a href="#">delete_streaming_image</a>	Delete streaming image
<a href="#">delete_streaming_session</a>	Deletes streaming session resource
<a href="#">delete_studio</a>	Delete a studio resource
<a href="#">delete_studio_component</a>	Deletes a studio component resource
<a href="#">delete_studio_member</a>	Delete a user from studio membership
<a href="#">get_eula</a>	Get EULA
<a href="#">get_launch_profile</a>	Get a launch profile
<a href="#">get_launch_profile_details</a>	Launch profile details include the launch profile resource and summary information o
<a href="#">get_launch_profile_initialization</a>	Get a launch profile initialization
<a href="#">get_launch_profile_member</a>	Get a user persona in launch profile membership
<a href="#">get_streaming_image</a>	Get streaming image
<a href="#">get_streaming_session</a>	Gets StreamingSession resource
<a href="#">get_streaming_session_backup</a>	Gets StreamingSessionBackup resource
<a href="#">get_streaming_session_stream</a>	Gets a StreamingSessionStream for a streaming session
<a href="#">get_studio</a>	Get a studio resource
<a href="#">get_studio_component</a>	Gets a studio component resource
<a href="#">get_studio_member</a>	Get a user's membership in a studio
<a href="#">list_eula_acceptances</a>	List EULA acceptances
<a href="#">list_eulas</a>	List EULAs
<a href="#">list_launch_profile_members</a>	Get all users in a given launch profile membership
<a href="#">list_launch_profiles</a>	List all the launch profiles a studio
<a href="#">list_streaming_images</a>	List the streaming image resources available to this studio
<a href="#">list_streaming_session_backups</a>	Lists the backups of a streaming session in a studio
<a href="#">list_streaming_sessions</a>	Lists the streaming sessions in a studio
<a href="#">list_studio_components</a>	Lists the StudioComponents in a studio
<a href="#">list_studio_members</a>	Get all users in a given studio membership
<a href="#">list_studios</a>	List studios in your Amazon Web Services accounts in the requested Amazon Web Se
<a href="#">list_tags_for_resource</a>	Gets the tags for a resource, given its Amazon Resource Names (ARN)
<a href="#">put_launch_profile_members</a>	Add/update users with given persona to launch profile membership

<a href="#">put_studio_members</a>	Add/update users with given persona to studio membership
<a href="#">start_streaming_session</a>	Transitions sessions from the STOPPED state into the READY state
<a href="#">start_studio_sso_configuration_repair</a>	Repairs the IAM Identity Center configuration for a given studio
<a href="#">stop_streaming_session</a>	Transitions sessions from the READY state into the STOPPED state
<a href="#">tag_resource</a>	Creates tags for a resource, given its ARN
<a href="#">untag_resource</a>	Deletes the tags for a resource
<a href="#">update_launch_profile</a>	Update a launch profile
<a href="#">update_launch_profile_member</a>	Update a user persona in launch profile membership
<a href="#">update_streaming_image</a>	Update streaming image
<a href="#">update_studio</a>	Update a Studio resource
<a href="#">update_studio_component</a>	Updates a studio component resource

## Examples

```
## Not run:
svc <- nimblestudio()
svc$accept_eulas(
  Foo = 123
)

## End(Not run)
```

---

workdocs

*Amazon WorkDocs*

---

## Description

The Amazon WorkDocs API is designed for the following use cases:

- **File Migration:** File migration applications are supported for users who want to migrate their files from an on-premises or off-premises file system or service. Users can insert files into a user directory structure, as well as allow for basic metadata changes, such as modifications to the permissions of files.
- **Security:** Support security applications are supported for users who have additional security needs, such as antivirus or data loss prevention. The API actions, along with CloudTrail, allow these applications to detect when changes occur in Amazon WorkDocs. Then, the application can take the necessary actions and replace the target file. If the target file violates the policy, the application can also choose to email the user.
- **eDiscovery/Analytics:** General administrative applications are supported, such as eDiscovery and analytics. These applications can choose to mimic or record the actions in an Amazon WorkDocs site, along with CloudTrail, to replicate data for eDiscovery, backup, or analytical applications.

All Amazon WorkDocs API actions are Amazon authenticated and certificate-signed. They not only require the use of the Amazon Web Services SDK, but also allow for the exclusive use of IAM users and roles to help facilitate access, trust, and permission policies. By creating a role and allowing an IAM user to access the Amazon WorkDocs site, the IAM user gains full administrative visibility into the entire Amazon WorkDocs site (or as set in the IAM policy). This includes, but is not limited to, the ability to modify file permissions and upload any file to any user. This allows developers to perform the three use cases above, as well as give users the ability to grant access on a selective basis using the IAM model.

The pricing for Amazon WorkDocs APIs varies depending on the API call type for these actions:

- READ (Get\*)
- WRITE (Activate\*, Add\*, Create\*, Deactivate\*, Initiate\*, Update\*)
- LIST (Describe\*)
- DELETE\*, CANCEL

For information about Amazon WorkDocs API pricing, see [Amazon WorkDocs Pricing](#).

## Usage

```
workdocs(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

## Arguments

config	<p>Optional configuration of credentials, endpoint, and/or region.</p> <ul style="list-style-type: none"> <li>• <b>credentials:</b> <ul style="list-style-type: none"> <li>– <b>creds:</b> <ul style="list-style-type: none"> <li>* <b>access_key_id:</b> AWS access key ID</li> <li>* <b>secret_access_key:</b> AWS secret access key</li> <li>* <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>– <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous:</b> Set anonymous credentials.</li> </ul> </li> <li>• <b>endpoint:</b> The complete URL to use for the constructed client.</li> <li>• <b>region:</b> The AWS Region used in instantiating the client.</li> <li>• <b>close_connection:</b> Immediately close all HTTP connections.</li> <li>• <b>timeout:</b> The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style:</b> Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint:</b> Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> <li>• <b>creds:</b> <ul style="list-style-type: none"> <li>– <b>access_key_id:</b> AWS access key ID</li> <li>– <b>secret_access_key:</b> AWS secret access key</li> </ul> </li> </ul>

- **session\_token**: AWS temporary session token
  - **profile**: The name of a profile to use. If not given, then the default profile is used.
  - **anonymous**: Set anonymous credentials.
- endpoint      Optional shorthand for complete URL to use for the constructed client.
- region        Optional shorthand for AWS Region used in instantiating the client.

### Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

### Service syntax

```
svc <- workdocs(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

### Operations



<code>abort_document_version_upload</code>	Aborts the upload of the specified document version that was previously initiated by InitiateDocumentVersionUpload
<code>activate_user</code>	Activates the specified user
<code>add_resource_permissions</code>	Creates a set of permissions for the specified folder or document
<code>create_comment</code>	Adds a new comment to the specified document version
<code>create_custom_metadata</code>	Adds one or more custom properties to the specified resource (a folder, document, or version)
<code>create_folder</code>	Creates a folder with the specified name and parent folder
<code>create_labels</code>	Adds the specified list of labels to the given resource (a document or folder)
<code>create_notification_subscription</code>	Configure Amazon WorkDocs to use Amazon SNS notifications
<code>create_user</code>	Creates a user in a Simple AD or Microsoft AD directory
<code>deactivate_user</code>	Deactivates the specified user, which revokes the user's access to Amazon WorkDocs
<code>delete_comment</code>	Deletes the specified comment from the document version
<code>delete_custom_metadata</code>	Deletes custom metadata from the specified resource
<code>delete_document</code>	Permanently deletes the specified document and its associated metadata
<code>delete_document_version</code>	Deletes a specific version of a document
<code>delete_folder</code>	Permanently deletes the specified folder and its contents
<code>delete_folder_contents</code>	Deletes the contents of the specified folder
<code>delete_labels</code>	Deletes the specified list of labels from a resource
<code>delete_notification_subscription</code>	Deletes the specified subscription from the specified organization
<code>delete_user</code>	Deletes the specified user from a Simple AD or Microsoft AD directory
<code>describe_activities</code>	Describes the user activities in a specified time period
<code>describe_comments</code>	List all the comments for the specified document version
<code>describe_document_versions</code>	Retrieves the document versions for the specified document
<code>describe_folder_contents</code>	Describes the contents of the specified folder, including its documents and subfolders
<code>describe_groups</code>	Describes the groups specified by the query
<code>describe_notification_subscriptions</code>	Lists the specified notification subscriptions
<code>describe_resource_permissions</code>	Describes the permissions of a specified resource
<code>describe_root_folders</code>	Describes the current user's special folders; the RootFolder and the RecycleBin
<code>describe_users</code>	Describes the specified users
<code>get_current_user</code>	Retrieves details of the current user for whom the authentication token was generated
<code>get_document</code>	Retrieves details of a document
<code>get_document_path</code>	Retrieves the path information (the hierarchy from the root folder) for the requested document
<code>get_document_version</code>	Retrieves version metadata for the specified document
<code>get_folder</code>	Retrieves the metadata of the specified folder
<code>get_folder_path</code>	Retrieves the path information (the hierarchy from the root folder) for the specified folder
<code>get_resources</code>	Retrieves a collection of resources, including folders and documents
<code>initiate_document_version_upload</code>	Creates a new document object and version object
<code>remove_all_resource_permissions</code>	Removes all the permissions from the specified resource
<code>remove_resource_permission</code>	Removes the permission for the specified principal from the specified resource
<code>restore_document_versions</code>	Recovers a deleted version of an Amazon WorkDocs document
<code>search_resources</code>	Searches metadata and the content of folders, documents, document versions, and comments
<code>update_document</code>	Updates the specified attributes of a document
<code>update_document_version</code>	Changes the status of the document version to ACTIVE
<code>update_folder</code>	Updates the specified attributes of the specified folder
<code>update_user</code>	Updates the specified attributes of the specified user, and grants or revokes administrative permissions

**Examples**

```
## Not run:
svc <- workdocs()
svc$abort_document_version_upload(
  Foo = 123
)

## End(Not run)
```

---

worklink

*Amazon WorkLink*


---

**Description**

Amazon WorkLink is a cloud-based service that provides secure access to internal websites and web apps from iOS and Android phones. In a single step, your users, such as employees, can access internal websites as efficiently as they access any other public website. They enter a URL in their web browser, or choose a link to an internal website in an email. Amazon WorkLink authenticates the user's access and securely renders authorized internal web content in a secure rendering service in the AWS cloud. Amazon WorkLink doesn't download or store any internal web content on mobile devices.

**Usage**

```
worklink(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

**Arguments**

**config** Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
  - **creds:**
    - \* **access\_key\_id:** AWS access key ID
    - \* **secret\_access\_key:** AWS secret access key
    - \* **session\_token:** AWS temporary session token
  - **profile:** The name of a profile to use. If not given, then the default profile is used.
  - **anonymous:** Set anonymous credentials.
- **endpoint:** The complete URL to use for the constructed client.
- **region:** The AWS Region used in instantiating the client.
- **close\_connection:** Immediately close all HTTP connections.
- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.
- **s3\_force\_path\_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

	<ul style="list-style-type: none"> <li>• <b>sts_regional_endpoint</b>: Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> <li>• <b>creds</b>: <ul style="list-style-type: none"> <li>– <b>access_key_id</b>: AWS access key ID</li> <li>– <b>secret_access_key</b>: AWS secret access key</li> <li>– <b>session_token</b>: AWS temporary session token</li> </ul> </li> <li>• <b>profile</b>: The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous</b>: Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

### Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

### Service syntax

```
svc <- worklink(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
```

```

    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

## Operations

<a href="#">associate_domain</a>	Specifies a domain to be associated to Amazon WorkLink
<a href="#">associate_website_authorization_provider</a>	Associates a website authorization provider with a specified fleet
<a href="#">associate_website_certificate_authority</a>	Imports the root certificate of a certificate authority (CA) used to obtain TLS certificates
<a href="#">create_fleet</a>	Creates a fleet
<a href="#">delete_fleet</a>	Deletes a fleet
<a href="#">describe_audit_stream_configuration</a>	Describes the configuration for delivering audit streams to the customer account
<a href="#">describe_company_network_configuration</a>	Describes the networking configuration to access the internal websites associated with the fleet
<a href="#">describe_device</a>	Provides information about a user's device
<a href="#">describe_device_policy_configuration</a>	Describes the device policy configuration for the specified fleet
<a href="#">describe_domain</a>	Provides information about the domain
<a href="#">describe_fleet_metadata</a>	Provides basic information for the specified fleet, excluding identity provider, website authorization provider, and certificate authority
<a href="#">describe_identity_provider_configuration</a>	Describes the identity provider configuration of the specified fleet
<a href="#">describe_website_certificate_authority</a>	Provides information about the certificate authority
<a href="#">disassociate_domain</a>	Disassociates a domain from Amazon WorkLink
<a href="#">disassociate_website_authorization_provider</a>	Disassociates a website authorization provider from a specified fleet
<a href="#">disassociate_website_certificate_authority</a>	Removes a certificate authority (CA)
<a href="#">list_devices</a>	Retrieves a list of devices registered with the specified fleet
<a href="#">list_domains</a>	Retrieves a list of domains associated to a specified fleet
<a href="#">list_fleets</a>	Retrieves a list of fleets for the current account and Region
<a href="#">list_tags_for_resource</a>	Retrieves a list of tags for the specified resource
<a href="#">list_website_authorization_providers</a>	Retrieves a list of website authorization providers associated with a specified fleet
<a href="#">list_website_certificate_authorities</a>	Retrieves a list of certificate authorities added for the current account and Region
<a href="#">restore_domain_access</a>	Moves a domain to ACTIVE status if it was in the INACTIVE status
<a href="#">revoke_domain_access</a>	Moves a domain to INACTIVE status if it was in the ACTIVE status
<a href="#">sign_out_user</a>	Signs the user out from all of their devices
<a href="#">tag_resource</a>	Adds or overwrites one or more tags for the specified resource, such as a fleet
<a href="#">untag_resource</a>	Removes one or more tags from the specified resource
<a href="#">update_audit_stream_configuration</a>	Updates the audit stream configuration for the fleet
<a href="#">update_company_network_configuration</a>	Updates the company network configuration for the fleet
<a href="#">update_device_policy_configuration</a>	Updates the device policy configuration for the fleet
<a href="#">update_domain_metadata</a>	Updates domain metadata, such as DisplayName
<a href="#">update_fleet_metadata</a>	Updates fleet metadata, such as DisplayName
<a href="#">update_identity_provider_configuration</a>	Updates the identity provider configuration for the fleet

## Examples

```

## Not run:
svc <- worklink()

```

```
svc$associate_domain(  
  Foo = 123  
)  
  
## End(Not run)
```

---

workmail

*Amazon WorkMail*

---

## Description

WorkMail is a secure, managed business email and calendaring service with support for existing desktop and mobile email clients. You can access your email, contacts, and calendars using Microsoft Outlook, your browser, or other native iOS and Android email applications. You can integrate WorkMail with your existing corporate directory and control both the keys that encrypt your data and the location in which your data is stored.

The WorkMail API is designed for the following scenarios:

- Listing and describing organizations
- Managing users
- Managing groups
- Managing resources

All WorkMail API operations are Amazon-authenticated and certificate-signed. They not only require the use of the AWS SDK, but also allow for the exclusive use of AWS Identity and Access Management users and roles to help facilitate access, trust, and permission policies. By creating a role and allowing an IAM user to access the WorkMail site, the IAM user gains full administrative visibility into the entire WorkMail organization (or as set in the IAM policy). This includes, but is not limited to, the ability to create, update, and delete users, groups, and resources. This allows developers to perform the scenarios listed above, as well as give users the ability to grant access on a selective basis using the IAM model.

## Usage

```
workmail(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

## Arguments

config           Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- \* **access\_key\_id:** AWS access key ID
    - \* **secret\_access\_key:** AWS secret access key
    - \* **session\_token:** AWS temporary session token

	<ul style="list-style-type: none"> <li>– <b>profile</b>: The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous</b>: Set anonymous credentials.</li> <li>• <b>endpoint</b>: The complete URL to use for the constructed client.</li> <li>• <b>region</b>: The AWS Region used in instantiating the client.</li> <li>• <b>close_connection</b>: Immediately close all HTTP connections.</li> <li>• <b>timeout</b>: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style</b>: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint</b>: Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds</b>: <ul style="list-style-type: none"> <li>– <b>access_key_id</b>: AWS access key ID</li> <li>– <b>secret_access_key</b>: AWS secret access key</li> <li>– <b>session_token</b>: AWS temporary session token</li> </ul> </li> <li>• <b>profile</b>: The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous</b>: Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

## Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

## Service syntax

```
svc <- workmail(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
```

```

        timeout = "numeric",
        s3_force_path_style = "logical",
        sts_regional_endpoint = "string"
    ),
    credentials = list(
        creds = list(
            access_key_id = "string",
            secret_access_key = "string",
            session_token = "string"
        ),
        profile = "string",
        anonymous = "logical"
    ),
    endpoint = "string",
    region = "string"
)

```

## Operations

<a href="#">associate_delegate_to_resource</a>	Adds a member (user or group) to the resource's set of delegates
<a href="#">associate_member_to_group</a>	Adds a member (user or group) to the group's set
<a href="#">assume_impersonation_role</a>	Assumes an impersonation role for the given WorkMail organization
<a href="#">cancel_mailbox_export_job</a>	Cancels a mailbox export job
<a href="#">create_alias</a>	Adds an alias to the set of a given member (user or group) of WorkMail
<a href="#">create_availability_configuration</a>	Creates an AvailabilityConfiguration for the given WorkMail organization and domain
<a href="#">create_group</a>	Creates a group that can be used in WorkMail by calling the RegisterToWorkMail operation
<a href="#">create_impersonation_role</a>	Creates an impersonation role for the given WorkMail organization
<a href="#">create_mobile_device_access_rule</a>	Creates a new mobile device access rule for the specified WorkMail organization
<a href="#">create_organization</a>	Creates a new WorkMail organization
<a href="#">create_resource</a>	Creates a new WorkMail resource
<a href="#">create_user</a>	Creates a user who can be used in WorkMail by calling the RegisterToWorkMail operation
<a href="#">delete_access_control_rule</a>	Deletes an access control rule for the specified WorkMail organization
<a href="#">delete_alias</a>	Remove one or more specified aliases from a set of aliases for a given user
<a href="#">delete_availability_configuration</a>	Deletes the AvailabilityConfiguration for the given WorkMail organization and domain
<a href="#">delete_email_monitoring_configuration</a>	Deletes the email monitoring configuration for a specified organization
<a href="#">delete_group</a>	Deletes a group from WorkMail
<a href="#">delete_impersonation_role</a>	Deletes an impersonation role for the given WorkMail organization
<a href="#">delete_mailbox_permissions</a>	Deletes permissions granted to a member (user or group)
<a href="#">delete_mobile_device_access_override</a>	Deletes the mobile device access override for the given WorkMail organization, user, and resource
<a href="#">delete_mobile_device_access_rule</a>	Deletes a mobile device access rule for the specified WorkMail organization
<a href="#">delete_organization</a>	Deletes an WorkMail organization and all underlying AWS resources managed by WorkMail
<a href="#">delete_resource</a>	Deletes the specified resource
<a href="#">delete_retention_policy</a>	Deletes the specified retention policy from the specified organization
<a href="#">delete_user</a>	Deletes a user from WorkMail and all subsequent systems
<a href="#">deregister_from_work_mail</a>	Mark a user, group, or resource as no longer used in WorkMail
<a href="#">deregister_mail_domain</a>	Removes a domain from WorkMail, stops email routing to WorkMail, and removes the domain from the organization's list of domains
<a href="#">describe_email_monitoring_configuration</a>	Describes the current email monitoring configuration for a specified organization
<a href="#">describe_entity</a>	Returns basic details about an entity in WorkMail

<code>describe_group</code>	Returns the data available for the group
<code>describe_inbound_dmarc_settings</code>	Lists the settings in a DMARC policy for a specified organization
<code>describe_mailbox_export_job</code>	Describes the current status of a mailbox export job
<code>describe_organization</code>	Provides more information regarding a given organization based on its identifier
<code>describe_resource</code>	Returns the data available for the resource
<code>describe_user</code>	Provides information regarding the user
<code>disassociate_delegate_from_resource</code>	Removes a member from the resource's set of delegates
<code>disassociate_member_from_group</code>	Removes a member from a group
<code>get_access_control_effect</code>	Gets the effects of an organization's access control rules as they apply to a specific user
<code>get_default_retention_policy</code>	Gets the default retention policy details for the specified organization
<code>get_impersonation_role</code>	Gets the impersonation role details for the given WorkMail organization
<code>get_impersonation_role_effect</code>	Tests whether the given impersonation role can impersonate a target user
<code>get_mailbox_details</code>	Requests a user's mailbox details for a specified organization and user
<code>get_mail_domain</code>	Gets details for a mail domain, including domain records required to configure your domain
<code>get_mobile_device_access_effect</code>	Simulates the effect of the mobile device access rules for the given attributes of a user
<code>get_mobile_device_access_override</code>	Gets the mobile device access override for the given WorkMail organization, user, and resource
<code>list_access_control_rules</code>	Lists the access control rules for the specified organization
<code>list_aliases</code>	Creates a paginated call to list the aliases associated with a given entity
<code>list_availability_configurations</code>	List all the AvailabilityConfiguration's for the given WorkMail organization
<code>list_group_members</code>	Returns an overview of the members of a group
<code>list_groups</code>	Returns summaries of the organization's groups
<code>list_groups_for_entity</code>	Returns all the groups to which an entity belongs
<code>list_impersonation_roles</code>	Lists all the impersonation roles for the given WorkMail organization
<code>list_mailbox_export_jobs</code>	Lists the mailbox export jobs started for the specified organization within the last 30 days
<code>list_mailbox_permissions</code>	Lists the mailbox permissions associated with a user, group, or resource mailbox
<code>list_mail_domains</code>	Lists the mail domains in a given WorkMail organization
<code>list_mobile_device_access_overrides</code>	Lists all the mobile device access overrides for any given combination of WorkMail organization, user, and resource
<code>list_mobile_device_access_rules</code>	Lists the mobile device access rules for the specified WorkMail organization
<code>list_organizations</code>	Returns summaries of the customer's organizations
<code>list_resource_delegates</code>	Lists the delegates associated with a resource
<code>list_resources</code>	Returns summaries of the organization's resources
<code>list_tags_for_resource</code>	Lists the tags applied to an WorkMail organization resource
<code>list_users</code>	Returns summaries of the organization's users
<code>put_access_control_rule</code>	Adds a new access control rule for the specified organization
<code>put_email_monitoring_configuration</code>	Creates or updates the email monitoring configuration for a specified organization
<code>put_inbound_dmarc_settings</code>	Enables or disables a DMARC policy for a given organization
<code>put_mailbox_permissions</code>	Sets permissions for a user, group, or resource
<code>put_mobile_device_access_override</code>	Creates or updates a mobile device access override for the given WorkMail organization, user, and resource
<code>put_retention_policy</code>	Puts a retention policy to the specified organization
<code>register_mail_domain</code>	Registers a new domain in WorkMail and SES, and configures it for use by WorkMail
<code>register_to_work_mail</code>	Registers an existing and disabled user, group, or resource for WorkMail use by a customer
<code>reset_password</code>	Allows the administrator to reset the password for a user
<code>start_mailbox_export_job</code>	Starts a mailbox export job to export MIME-format email messages and calendar items
<code>tag_resource</code>	Applies the specified tags to the specified WorkMail organization resource
<code>test_availability_configuration</code>	Performs a test on an availability provider to ensure that access is allowed
<code>untag_resource</code>	Untags the specified tags from the specified WorkMail organization resource
<code>update_availability_configuration</code>	Updates an existing AvailabilityConfiguration for the given WorkMail organization
<code>update_default_mail_domain</code>	Updates the default mail domain for an organization



<code>update_group</code>	Updates attributes in a group
<code>update_impersonation_role</code>	Updates an impersonation role for the given WorkMail organization
<code>update_mailbox_quota</code>	Updates a user's current mailbox quota for a specified organization and user
<code>update_mobile_device_access_rule</code>	Updates a mobile device access rule for the specified WorkMail organization
<code>update_primary_email_address</code>	Updates the primary email for a user, group, or resource
<code>update_resource</code>	Updates data for the resource
<code>update_user</code>	Updates data for the user

## Examples

```
## Not run:
svc <- workmail()
svc$associate_delegate_to_resource(
  Foo = 123
)

## End(Not run)
```

---

workmailmessageflow    *Amazon WorkMail Message Flow*

---

## Description

The WorkMail Message Flow API provides access to email messages as they are being sent and received by a WorkMail organization.

## Usage

```
workmailmessageflow(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

## Arguments

`config`            Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
  - **creds:**
    - \* **access\_key\_id:** AWS access key ID
    - \* **secret\_access\_key:** AWS secret access key
    - \* **session\_token:** AWS temporary session token

	<ul style="list-style-type: none"> <li>– <b>profile</b>: The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous</b>: Set anonymous credentials.</li> <li>• <b>endpoint</b>: The complete URL to use for the constructed client.</li> <li>• <b>region</b>: The AWS Region used in instantiating the client.</li> <li>• <b>close_connection</b>: Immediately close all HTTP connections.</li> <li>• <b>timeout</b>: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style</b>: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint</b>: Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds</b>: <ul style="list-style-type: none"> <li>– <b>access_key_id</b>: AWS access key ID</li> <li>– <b>secret_access_key</b>: AWS secret access key</li> <li>– <b>session_token</b>: AWS temporary session token</li> </ul> </li> <li>• <b>profile</b>: The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous</b>: Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

### Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

### Service syntax

```
svc <- workmailmessageflow(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
```

```

    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

## Operations

[get\\_raw\\_message\\_content](#) Retrieves the raw content of an in-transit email message, in MIME format

[put\\_raw\\_message\\_content](#) Updates the raw content of an in-transit email message, in MIME format

## Examples

```

## Not run:
svc <- workmailmessageflow()
svc$get_raw_message_content(
  Foo = 123
)

## End(Not run)

```

## Description

### Amazon WorkSpaces Service

Amazon WorkSpaces enables you to provision virtual, cloud-based Microsoft Windows or Amazon Linux desktops for your users, known as *WorkSpaces*. WorkSpaces eliminates the need to procure and deploy hardware or install complex software. You can quickly add or remove users as your needs change. Users can access their virtual desktops from multiple devices or web browsers.

This API Reference provides detailed information about the actions, data types, parameters, and errors of the WorkSpaces service. For more information about the supported Amazon Web Services Regions, endpoints, and service quotas of the Amazon WorkSpaces service, see [WorkSpaces endpoints and quotas](#) in the *Amazon Web Services General Reference*.

You can also manage your WorkSpaces resources using the WorkSpaces console, Command Line Interface (CLI), and SDKs. For more information about administering WorkSpaces, see the [Amazon WorkSpaces Administration Guide](#). For more information about using the Amazon WorkSpaces client application or web browser to access provisioned WorkSpaces, see the [Amazon WorkSpaces User Guide](#). For more information about using the CLI to manage your WorkSpaces resources, see the [WorkSpaces section of the CLI Reference](#).

## Usage

```
workspaces(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

## Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- \* **access\_key\_id:** AWS access key ID
- \* **secret\_access\_key:** AWS secret access key
- \* **session\_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.
- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close\_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3\_force\_path\_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts\_regional\_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

`credentials` Optional credentials shorthand for the `config` parameter

- **creds:**

- **access\_key\_id:** AWS access key ID
- **secret\_access\_key:** AWS secret access key

- **session\_token**: AWS temporary session token
  - **profile**: The name of a profile to use. If not given, then the default profile is used.
  - **anonymous**: Set anonymous credentials.
- endpoint      Optional shorthand for complete URL to use for the constructed client.
- region        Optional shorthand for AWS Region used in instantiating the client.

### Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

### Service syntax

```
svc <- workspaces(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

### Operations

<a href="#">accept_account_link_invitation</a>	Accepts the account link invitation
<a href="#">associate_connection_alias</a>	Associates the specified connection alias with the specified directory to enable cross-Region redirection
<a href="#">associate_ip_groups</a>	Associates the specified IP access control group with the specified directory
<a href="#">associate_workspace_application</a>	Associates the specified application to the specified WorkSpace
<a href="#">authorize_ip_rules</a>	Adds one or more rules to the specified IP access control group
<a href="#">copy_workspace_image</a>	Copies the specified image from the specified Region to the current Region
<a href="#">create_account_link_invitation</a>	Creates the account link invitation
<a href="#">create_connect_client_add_in</a>	Creates a client-add-in for Amazon Connect within a directory
<a href="#">create_connection_alias</a>	Creates the specified connection alias for use with cross-Region redirection
<a href="#">create_ip_group</a>	Creates an IP access control group
<a href="#">create_standby_workspaces</a>	Creates a standby WorkSpace in a secondary Region
<a href="#">create_tags</a>	Creates the specified tags for the specified WorkSpaces resource
<a href="#">create_updated_workspace_image</a>	Creates a new updated WorkSpace image based on the specified source image
<a href="#">create_workspace_bundle</a>	Creates the specified WorkSpace bundle
<a href="#">create_workspace_image</a>	Creates a new WorkSpace image from an existing WorkSpace
<a href="#">create_workspaces</a>	Creates one or more WorkSpaces
<a href="#">delete_account_link_invitation</a>	Deletes the account link invitation
<a href="#">delete_client_branding</a>	Deletes customized client branding
<a href="#">delete_connect_client_add_in</a>	Deletes a client-add-in for Amazon Connect that is configured within a directory
<a href="#">delete_connection_alias</a>	Deletes the specified connection alias
<a href="#">delete_ip_group</a>	Deletes the specified IP access control group
<a href="#">delete_tags</a>	Deletes the specified tags from the specified WorkSpaces resource
<a href="#">delete_workspace_bundle</a>	Deletes the specified WorkSpace bundle
<a href="#">delete_workspace_image</a>	Deletes the specified image from your account
<a href="#">deploy_workspace_applications</a>	Deploys associated applications to the specified WorkSpace
<a href="#">deregister_workspace_directory</a>	Deregisters the specified directory
<a href="#">describe_account</a>	Retrieves a list that describes the configuration of Bring Your Own License (BYOL)
<a href="#">describe_account_modifications</a>	Retrieves a list that describes modifications to the configuration of Bring Your Own License (BYOL)
<a href="#">describe_application_associations</a>	Describes the associations between the application and the specified associated resource
<a href="#">describe_applications</a>	Describes the specified applications by filtering based on their compute types, license types, and other attributes
<a href="#">describe_bundle_associations</a>	Describes the associations between the applications and the specified bundle
<a href="#">describe_client_branding</a>	Describes the specified client branding
<a href="#">describe_client_properties</a>	Retrieves a list that describes one or more specified Amazon WorkSpaces clients
<a href="#">describe_connect_client_add_ins</a>	Retrieves a list of Amazon Connect client add-ins that have been created
<a href="#">describe_connection_aliases</a>	Retrieves a list that describes the connection aliases used for cross-Region redirection
<a href="#">describe_connection_alias_permissions</a>	Describes the permissions that the owner of a connection alias has granted to another user
<a href="#">describe_image_associations</a>	Describes the associations between the applications and the specified image
<a href="#">describe_ip_groups</a>	Describes one or more of your IP access control groups
<a href="#">describe_tags</a>	Describes the specified tags for the specified WorkSpaces resource
<a href="#">describe_workspace_associations</a>	Describes the associations between applications and the specified WorkSpace
<a href="#">describe_workspace_bundles</a>	Retrieves a list that describes the available WorkSpace bundles
<a href="#">describe_workspace_directories</a>	Describes the available directories that are registered with Amazon WorkSpaces
<a href="#">describe_workspace_image_permissions</a>	Describes the permissions that the owner of an image has granted to other Amazon WorkSpaces users
<a href="#">describe_workspace_images</a>	Retrieves a list that describes one or more specified images, if the image identifier is provided
<a href="#">describe_workspaces</a>	Describes the specified WorkSpaces
<a href="#">describe_workspaces_connection_status</a>	Describes the connection status of the specified WorkSpaces
<a href="#">describe_workspace_snapshots</a>	Describes the snapshots for the specified WorkSpace
<a href="#">disassociate_connection_alias</a>	Disassociates a connection alias from a directory

<a href="#">disassociate_ip_groups</a>	Disassociates the specified IP access control group from the specified directory
<a href="#">disassociate_workspace_application</a>	Disassociates the specified application from a WorkSpace
<a href="#">get_account_link</a>	Retrieves account link information
<a href="#">import_client_branding</a>	Imports client branding
<a href="#">import_workspace_image</a>	Imports the specified Windows 10 or 11 Bring Your Own License (BYOL) image
<a href="#">list_account_links</a>	Lists all account links
<a href="#">list_available_management_cidr_ranges</a>	Retrieves a list of IP address ranges, specified as IPv4 CIDR blocks, that you can
<a href="#">migrate_workspace</a>	Migrates a WorkSpace from one operating system or bundle type to another, which
<a href="#">modify_account</a>	Modifies the configuration of Bring Your Own License (BYOL) for the specified
<a href="#">modify_certificate_based_auth_properties</a>	Modifies the properties of the certificate-based authentication you want to use with
<a href="#">modify_client_properties</a>	Modifies the properties of the specified Amazon WorkSpaces clients
<a href="#">modify_saml_properties</a>	Modifies multiple properties related to SAML 2
<a href="#">modify_selfservice_permissions</a>	Modifies the self-service WorkSpace management capabilities for your users
<a href="#">modify_workspace_access_properties</a>	Specifies which devices and operating systems users can use to access their Work
<a href="#">modify_workspace_creation_properties</a>	Modify the default properties used to create WorkSpaces
<a href="#">modify_workspace_properties</a>	Modifies the specified WorkSpace properties
<a href="#">modify_workspace_state</a>	Sets the state of the specified WorkSpace
<a href="#">reboot_workspaces</a>	Reboots the specified WorkSpaces
<a href="#">rebuild_workspaces</a>	Rebuilds the specified WorkSpace
<a href="#">register_workspace_directory</a>	Registers the specified directory
<a href="#">reject_account_link_invitation</a>	Rejects the account link invitation
<a href="#">restore_workspace</a>	Restores the specified WorkSpace to its last known healthy state
<a href="#">revoke_ip_rules</a>	Removes one or more rules from the specified IP access control group
<a href="#">start_workspaces</a>	Starts the specified WorkSpaces
<a href="#">stop_workspaces</a>	Stops the specified WorkSpaces
<a href="#">terminate_workspaces</a>	Terminates the specified WorkSpaces
<a href="#">update_connect_client_add_in</a>	Updates a Amazon Connect client add-in
<a href="#">update_connection_alias_permission</a>	Shares or unshares a connection alias with one account by specifying whether tha
<a href="#">update_rules_of_ip_group</a>	Replaces the current rules of the specified IP access control group with the specif
<a href="#">update_workspace_bundle</a>	Updates a WorkSpace bundle with a new image
<a href="#">update_workspace_image_permission</a>	Shares or unshares an image with one account in the same Amazon Web Services

## Examples

```
## Not run:
svc <- workspaces()
svc$accept_account_link_invitation(
  Foo = 123
)

## End(Not run)
```

workspacesweb

*Amazon WorkSpaces Web***Description**

WorkSpaces Web is a low cost, fully managed WorkSpace built specifically to facilitate secure, web-based workloads. WorkSpaces Web makes it easy for customers to safely provide their employees with access to internal websites and SaaS web applications without the administrative burden of appliances or specialized client software. WorkSpaces Web provides simple policy tools tailored for user interactions, while offloading common tasks like capacity management, scaling, and maintaining browser images.

**Usage**

```
workspacesweb(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

**Arguments**

config	<p>Optional configuration of credentials, endpoint, and/or region.</p> <ul style="list-style-type: none"> <li>• <b>credentials:</b> <ul style="list-style-type: none"> <li>– <b>creds:</b> <ul style="list-style-type: none"> <li>* <b>access_key_id:</b> AWS access key ID</li> <li>* <b>secret_access_key:</b> AWS secret access key</li> <li>* <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>– <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous:</b> Set anonymous credentials.</li> </ul> </li> <li>• <b>endpoint:</b> The complete URL to use for the constructed client.</li> <li>• <b>region:</b> The AWS Region used in instantiating the client.</li> <li>• <b>close_connection:</b> Immediately close all HTTP connections.</li> <li>• <b>timeout:</b> The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style:</b> Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint:</b> Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> <li>• <b>creds:</b></li> </ul>



- **access\_key\_id**: AWS access key ID
  - **secret\_access\_key**: AWS secret access key
  - **session\_token**: AWS temporary session token
  - **profile**: The name of a profile to use. If not given, then the default profile is used.
  - **anonymous**: Set anonymous credentials.
- endpoint           Optional shorthand for complete URL to use for the constructed client.
- region             Optional shorthand for AWS Region used in instantiating the client.

### Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

### Service syntax

```

svc <- workspacesweb(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

**Operations**

<a href="#">associate_browser_settings</a>	Associates a browser settings resource with a web portal
<a href="#">associate_ip_access_settings</a>	Associates an IP access settings resource with a web portal
<a href="#">associate_network_settings</a>	Associates a network settings resource with a web portal
<a href="#">associate_trust_store</a>	Associates a trust store with a web portal
<a href="#">associate_user_access_logging_settings</a>	Associates a user access logging settings resource with a web portal
<a href="#">associate_user_settings</a>	Associates a user settings resource with a web portal
<a href="#">create_browser_settings</a>	Creates a browser settings resource that can be associated with a web portal
<a href="#">create_identity_provider</a>	Creates an identity provider resource that is then associated with a web portal
<a href="#">create_ip_access_settings</a>	Creates an IP access settings resource that can be associated with a web portal
<a href="#">create_network_settings</a>	Creates a network settings resource that can be associated with a web portal
<a href="#">create_portal</a>	Creates a web portal
<a href="#">create_trust_store</a>	Creates a trust store that can be associated with a web portal
<a href="#">create_user_access_logging_settings</a>	Creates a user access logging settings resource that can be associated with a web portal
<a href="#">create_user_settings</a>	Creates a user settings resource that can be associated with a web portal
<a href="#">delete_browser_settings</a>	Deletes browser settings
<a href="#">delete_identity_provider</a>	Deletes the identity provider
<a href="#">delete_ip_access_settings</a>	Deletes IP access settings
<a href="#">delete_network_settings</a>	Deletes network settings
<a href="#">delete_portal</a>	Deletes a web portal
<a href="#">delete_trust_store</a>	Deletes the trust store
<a href="#">delete_user_access_logging_settings</a>	Deletes user access logging settings
<a href="#">delete_user_settings</a>	Deletes user settings
<a href="#">disassociate_browser_settings</a>	Disassociates browser settings from a web portal
<a href="#">disassociate_ip_access_settings</a>	Disassociates IP access settings from a web portal
<a href="#">disassociate_network_settings</a>	Disassociates network settings from a web portal
<a href="#">disassociate_trust_store</a>	Disassociates a trust store from a web portal
<a href="#">disassociate_user_access_logging_settings</a>	Disassociates user access logging settings from a web portal
<a href="#">disassociate_user_settings</a>	Disassociates user settings from a web portal
<a href="#">get_browser_settings</a>	Gets browser settings
<a href="#">get_identity_provider</a>	Gets the identity provider
<a href="#">get_ip_access_settings</a>	Gets the IP access settings
<a href="#">get_network_settings</a>	Gets the network settings
<a href="#">get_portal</a>	Gets the web portal
<a href="#">get_portal_service_provider_metadata</a>	Gets the service provider metadata
<a href="#">get_trust_store</a>	Gets the trust store
<a href="#">get_trust_store_certificate</a>	Gets the trust store certificate
<a href="#">get_user_access_logging_settings</a>	Gets user access logging settings
<a href="#">get_user_settings</a>	Gets user settings
<a href="#">list_browser_settings</a>	Retrieves a list of browser settings
<a href="#">list_identity_providers</a>	Retrieves a list of identity providers for a specific web portal
<a href="#">list_ip_access_settings</a>	Retrieves a list of IP access settings
<a href="#">list_network_settings</a>	Retrieves a list of network settings
<a href="#">list_portals</a>	Retrieves a list of web portals
<a href="#">list_tags_for_resource</a>	Retrieves a list of tags for a resource
<a href="#">list_trust_store_certificates</a>	Retrieves a list of trust store certificates
<a href="#">list_trust_stores</a>	Retrieves a list of trust stores

<a href="#">list_user_access_logging_settings</a>	Retrieves a list of user access logging settings
<a href="#">list_user_settings</a>	Retrieves a list of user settings
<a href="#">tag_resource</a>	Adds or overwrites one or more tags for the specified resource
<a href="#">untag_resource</a>	Removes one or more tags from the specified resource
<a href="#">update_browser_settings</a>	Updates browser settings
<a href="#">update_identity_provider</a>	Updates the identity provider
<a href="#">update_ip_access_settings</a>	Updates IP access settings
<a href="#">update_network_settings</a>	Updates network settings
<a href="#">update_portal</a>	Updates a web portal
<a href="#">update_trust_store</a>	Updates the trust store
<a href="#">update_user_access_logging_settings</a>	Updates the user access logging settings
<a href="#">update_user_settings</a>	Updates the user settings

### Examples

```
## Not run:
svc <- workspacesweb()
svc$associate_browser_settings(
  Foo = 123
)

## End(Not run)
```

# Index

abort\_document\_version\_upload, [17](#)  
accept\_account\_link\_invitation, [30](#)  
accept\_eulas, [13](#)  
activate\_user, [17](#)  
add\_resource\_permissions, [17](#)  
appstream, [2](#)  
associate\_app\_block\_builder\_app\_block,  
[4](#)  
associate\_application\_fleet, [4](#)  
associate\_application\_to\_entitlement,  
[4](#)  
associate\_browser\_settings, [34](#)  
associate\_connection\_alias, [30](#)  
associate\_delegate\_to\_resource, [23](#)  
associate\_domain, [20](#)  
associate\_fleet, [4](#)  
associate\_ip\_access\_settings, [34](#)  
associate\_ip\_groups, [30](#)  
associate\_member\_to\_group, [23](#)  
associate\_network\_settings, [34](#)  
associate\_trust\_store, [34](#)  
associate\_user\_access\_logging\_settings,  
[34](#)  
associate\_user\_settings, [34](#)  
associate\_website\_authorization\_provider,  
[20](#)  
associate\_website\_certificate\_authority,  
[20](#)  
associate\_workspace\_application, [30](#)  
assume\_impersonation\_role, [23](#)  
authorize\_ip\_rules, [30](#)  
  
batch\_associate\_user\_stack, [4](#)  
batch\_disassociate\_user\_stack, [4](#)  
  
cancel\_mailbox\_export\_job, [23](#)  
copy\_image, [4](#)  
copy\_workspace\_image, [30](#)  
create\_account\_link\_invitation, [30](#)  
create\_alias, [23](#)  
  
create\_app\_block, [4](#)  
create\_app\_block\_builder, [4](#)  
create\_app\_block\_builder\_streaming\_url,  
[4](#)  
create\_application, [4](#)  
create\_availability\_configuration, [23](#)  
create\_browser\_settings, [34](#)  
create\_chat\_token, [7, 8, 10](#)  
create\_comment, [17](#)  
create\_connect\_client\_add\_in, [30](#)  
create\_connection\_alias, [30](#)  
create\_custom\_metadata, [17](#)  
create\_directory\_config, [4](#)  
create\_entitlement, [4](#)  
create\_fleet, [4, 20](#)  
create\_folder, [17](#)  
create\_group, [23](#)  
create\_identity\_provider, [34](#)  
create\_image\_builder, [4](#)  
create\_image\_builder\_streaming\_url, [4](#)  
create\_impersonation\_role, [23](#)  
create\_ip\_access\_settings, [34](#)  
create\_ip\_group, [30](#)  
create\_labels, [17](#)  
create\_launch\_profile, [13](#)  
create\_logging\_configuration, [8, 10](#)  
create\_mobile\_device\_access\_rule, [23](#)  
create\_network\_settings, [34](#)  
create\_notification\_subscription, [17](#)  
create\_organization, [23](#)  
create\_portal, [34](#)  
create\_resource, [23](#)  
create\_room, [8, 10](#)  
create\_stack, [4](#)  
create\_standby\_workspaces, [30](#)  
create\_streaming\_image, [13](#)  
create\_streaming\_session, [13](#)  
create\_streaming\_session\_stream, [13](#)  
create\_streaming\_url, [4](#)

- create\_studio, [13](#)
- create\_studio\_component, [13](#)
- create\_tags, [30](#)
- create\_trust\_store, [34](#)
- create\_updated\_image, [4](#)
- create\_updated\_workspace\_image, [30](#)
- create\_usage\_report\_subscription, [4](#)
- create\_user, [5](#), [17](#), [23](#)
- create\_user\_access\_logging\_settings, [34](#)
- create\_user\_settings, [34](#)
- create\_workspace\_bundle, [30](#)
- create\_workspace\_image, [30](#)
- create\_workspaces, [30](#)
  
- deactivate\_user, [17](#)
- delete\_access\_control\_rule, [23](#)
- delete\_account\_link\_invitation, [30](#)
- delete\_alias, [23](#)
- delete\_app\_block, [5](#)
- delete\_app\_block\_builder, [5](#)
- delete\_application, [5](#)
- delete\_availability\_configuration, [23](#)
- delete\_browser\_settings, [34](#)
- delete\_client\_branding, [30](#)
- delete\_comment, [17](#)
- delete\_connect\_client\_add\_in, [30](#)
- delete\_connection\_alias, [30](#)
- delete\_custom\_metadata, [17](#)
- delete\_directory\_config, [5](#)
- delete\_document, [17](#)
- delete\_document\_version, [17](#)
- delete\_email\_monitoring\_configuration, [23](#)
- delete\_entitlement, [5](#)
- delete\_fleet, [5](#), [20](#)
- delete\_folder, [17](#)
- delete\_folder\_contents, [17](#)
- delete\_group, [23](#)
- delete\_identity\_provider, [34](#)
- delete\_image, [5](#)
- delete\_image\_builder, [5](#)
- delete\_image\_permissions, [5](#)
- delete\_impersonation\_role, [23](#)
- delete\_ip\_access\_settings, [34](#)
- delete\_ip\_group, [30](#)
- delete\_labels, [17](#)
- delete\_launch\_profile, [13](#)
- delete\_launch\_profile\_member, [13](#)
  
- delete\_logging\_configuration, [8](#), [10](#)
- delete\_mailbox\_permissions, [23](#)
- delete\_message, [8](#), [10](#)
- delete\_mobile\_device\_access\_override, [23](#)
- delete\_mobile\_device\_access\_rule, [23](#)
- delete\_network\_settings, [34](#)
- delete\_notification\_subscription, [17](#)
- delete\_organization, [23](#)
- delete\_portal, [34](#)
- delete\_resource, [23](#)
- delete\_retention\_policy, [23](#)
- delete\_room, [8](#), [10](#)
- delete\_stack, [5](#)
- delete\_streaming\_image, [13](#)
- delete\_streaming\_session, [13](#)
- delete\_studio, [13](#)
- delete\_studio\_component, [13](#)
- delete\_studio\_member, [13](#)
- delete\_tags, [30](#)
- delete\_trust\_store, [34](#)
- delete\_usage\_report\_subscription, [5](#)
- delete\_user, [5](#), [17](#), [23](#)
- delete\_user\_access\_logging\_settings, [34](#)
- delete\_user\_settings, [34](#)
- delete\_workspace\_bundle, [30](#)
- delete\_workspace\_image, [30](#)
- deploy\_workspace\_applications, [30](#)
- deregister\_from\_work\_mail, [23](#)
- deregister\_mail\_domain, [23](#)
- deregister\_workspace\_directory, [30](#)
- describe\_account, [30](#)
- describe\_account\_modifications, [30](#)
- describe\_activities, [17](#)
- describe\_app\_block\_builder\_app\_block\_associations, [5](#)
- describe\_app\_block\_builders, [5](#)
- describe\_app\_blocks, [5](#)
- describe\_application\_associations, [30](#)
- describe\_application\_fleet\_associations, [5](#)
- describe\_applications, [5](#), [30](#)
- describe\_audit\_stream\_configuration, [20](#)
- describe\_bundle\_associations, [30](#)
- describe\_client\_branding, [30](#)
- describe\_client\_properties, [30](#)

- describe\_comments, [17](#)
- describe\_company\_network\_configuration, [20](#)
- describe\_connect\_client\_add\_ins, [30](#)
- describe\_connection\_alias\_permissions, [30](#)
- describe\_connection\_aliases, [30](#)
- describe\_device, [20](#)
- describe\_device\_policy\_configuration, [20](#)
- describe\_directory\_configs, [5](#)
- describe\_document\_versions, [17](#)
- describe\_domain, [20](#)
- describe\_email\_monitoring\_configuration, [23](#)
- describe\_entitlements, [5](#)
- describe\_entity, [23](#)
- describe\_fleet\_metadata, [20](#)
- describe\_fleets, [5](#)
- describe\_folder\_contents, [17](#)
- describe\_group, [24](#)
- describe\_groups, [17](#)
- describe\_identity\_provider\_configuration, [20](#)
- describe\_image\_associations, [30](#)
- describe\_image\_builders, [5](#)
- describe\_image\_permissions, [5](#)
- describe\_images, [5](#)
- describe\_inbound\_dmarc\_settings, [24](#)
- describe\_ip\_groups, [30](#)
- describe\_mailbox\_export\_job, [24](#)
- describe\_notification\_subscriptions, [17](#)
- describe\_organization, [24](#)
- describe\_resource, [24](#)
- describe\_resource\_permissions, [17](#)
- describe\_root\_folders, [17](#)
- describe\_sessions, [5](#)
- describe\_stacks, [5](#)
- describe\_tags, [30](#)
- describe\_usage\_report\_subscriptions, [5](#)
- describe\_user, [24](#)
- describe\_user\_stack\_associations, [5](#)
- describe\_users, [5](#), [17](#)
- describe\_website\_certificate\_authority, [20](#)
- describe\_workspace\_associations, [30](#)
- describe\_workspace\_bundles, [30](#)
- describe\_workspace\_directories, [30](#)
- describe\_workspace\_image\_permissions, [30](#)
- describe\_workspace\_images, [30](#)
- describe\_workspace\_snapshots, [30](#)
- describe\_workspaces, [30](#)
- describe\_workspaces\_connection\_status, [30](#)
- disable\_user, [5](#)
- disassociate\_app\_block\_builder\_app\_block, [5](#)
- disassociate\_application\_fleet, [5](#)
- disassociate\_application\_from\_entitlement, [5](#)
- disassociate\_browser\_settings, [34](#)
- disassociate\_connection\_alias, [30](#)
- disassociate\_delegate\_from\_resource, [24](#)
- disassociate\_domain, [20](#)
- disassociate\_fleet, [5](#)
- disassociate\_ip\_access\_settings, [34](#)
- disassociate\_ip\_groups, [31](#)
- disassociate\_member\_from\_group, [24](#)
- disassociate\_network\_settings, [34](#)
- disassociate\_trust\_store, [34](#)
- disassociate\_user\_access\_logging\_settings, [34](#)
- disassociate\_user\_settings, [34](#)
- disassociate\_website\_authorization\_provider, [20](#)
- disassociate\_website\_certificate\_authority, [20](#)
- disassociate\_workspace\_application, [31](#)
- disconnect\_user, [8](#), [10](#)
- enable\_user, [5](#)
- expire\_session, [5](#)
- get\_access\_control\_effect, [24](#)
- get\_account\_link, [31](#)
- get\_browser\_settings, [34](#)
- get\_current\_user, [17](#)
- get\_default\_retention\_policy, [24](#)
- get\_document, [17](#)
- get\_document\_path, [17](#)
- get\_document\_version, [17](#)
- get\_eula, [13](#)
- get\_folder, [17](#)
- get\_folder\_path, [17](#)

- get\_identity\_provider, [34](#)
- get\_impersonation\_role, [24](#)
- get\_impersonation\_role\_effect, [24](#)
- get\_ip\_access\_settings, [34](#)
- get\_launch\_profile, [13](#)
- get\_launch\_profile\_details, [13](#)
- get\_launch\_profile\_initialization, [13](#)
- get\_launch\_profile\_member, [13](#)
- get\_logging\_configuration, [8, 10](#)
- get\_mail\_domain, [24](#)
- get\_mailbox\_details, [24](#)
- get\_mobile\_device\_access\_effect, [24](#)
- get\_mobile\_device\_access\_override, [24](#)
- get\_network\_settings, [34](#)
- get\_portal, [34](#)
- get\_portal\_service\_provider\_metadata, [34](#)
- get\_raw\_message\_content, [27](#)
- get\_resources, [17](#)
- get\_room, [8, 10](#)
- get\_streaming\_image, [13](#)
- get\_streaming\_session, [13](#)
- get\_streaming\_session\_backup, [13](#)
- get\_streaming\_session\_stream, [13](#)
- get\_studio, [13](#)
- get\_studio\_component, [13](#)
- get\_studio\_member, [13](#)
- get\_trust\_store, [34](#)
- get\_trust\_store\_certificate, [34](#)
- get\_user\_access\_logging\_settings, [34](#)
- get\_user\_settings, [34](#)
  
- import\_client\_branding, [31](#)
- import\_workspace\_image, [31](#)
- initiate\_document\_version\_upload, [17](#)
- ivschat, [6](#)
  
- list\_access\_control\_rules, [24](#)
- list\_account\_links, [31](#)
- list\_aliases, [24](#)
- list\_associated\_fleets, [5](#)
- list\_associated\_stacks, [5](#)
- list\_availability\_configurations, [24](#)
- list\_available\_management\_cidr\_ranges, [31](#)
- list\_browser\_settings, [34](#)
- list\_devices, [20](#)
- list\_domains, [20](#)
- list\_entitled\_applications, [5](#)
  
- list\_eula\_acceptances, [13](#)
- list\_eulas, [13](#)
- list\_fleets, [20](#)
- list\_group\_members, [24](#)
- list\_groups, [24](#)
- list\_groups\_for\_entity, [24](#)
- list\_identity\_providers, [34](#)
- list\_impersonation\_roles, [24](#)
- list\_ip\_access\_settings, [34](#)
- list\_launch\_profile\_members, [13](#)
- list\_launch\_profiles, [13](#)
- list\_logging\_configurations, [8, 10](#)
- list\_mail\_domains, [24](#)
- list\_mailbox\_export\_jobs, [24](#)
- list\_mailbox\_permissions, [24](#)
- list\_mobile\_device\_access\_overrides, [24](#)
- list\_mobile\_device\_access\_rules, [24](#)
- list\_network\_settings, [34](#)
- list\_organizations, [24](#)
- list\_portals, [34](#)
- list\_resource\_delegates, [24](#)
- list\_resources, [24](#)
- list\_rooms, [8, 10](#)
- list\_streaming\_images, [13](#)
- list\_streaming\_session\_backups, [13](#)
- list\_streaming\_sessions, [13](#)
- list\_studio\_components, [13](#)
- list\_studio\_members, [13](#)
- list\_studios, [13](#)
- list\_tags\_for\_resource, [5, 7, 8, 10, 13, 20, 24, 34](#)
- list\_trust\_store\_certificates, [34](#)
- list\_trust\_stores, [34](#)
- list\_user\_access\_logging\_settings, [35](#)
- list\_user\_settings, [35](#)
- list\_users, [24](#)
- list\_website\_authorization\_providers, [20](#)
- list\_website\_certificate\_authorities, [20](#)
  
- migrate\_workspace, [31](#)
- modify\_account, [31](#)
- modify\_certificate\_based\_auth\_properties, [31](#)
- modify\_client\_properties, [31](#)
- modify\_saml\_properties, [31](#)
- modify\_selfservice\_permissions, [31](#)

- modify\_workspace\_access\_properties, [31](#)
- modify\_workspace\_creation\_properties, [31](#)
- modify\_workspace\_properties, [31](#)
- modify\_workspace\_state, [31](#)
  
- nimblestudio, [11](#)
  
- put\_access\_control\_rule, [24](#)
- put\_email\_monitoring\_configuration, [24](#)
- put\_inbound\_dmarc\_settings, [24](#)
- put\_launch\_profile\_members, [13](#)
- put\_mailbox\_permissions, [24](#)
- put\_mobile\_device\_access\_override, [24](#)
- put\_raw\_message\_content, [27](#)
- put\_retention\_policy, [24](#)
- put\_studio\_members, [14](#)
  
- reboot\_workspaces, [31](#)
- rebuild\_workspaces, [31](#)
- register\_mail\_domain, [24](#)
- register\_to\_work\_mail, [24](#)
- register\_workspace\_directory, [31](#)
- reject\_account\_link\_invitation, [31](#)
- remove\_all\_resource\_permissions, [17](#)
- remove\_resource\_permission, [17](#)
- reset\_password, [24](#)
- restore\_document\_versions, [17](#)
- restore\_domain\_access, [20](#)
- restore\_workspace, [31](#)
- revoke\_domain\_access, [20](#)
- revoke\_ip\_rules, [31](#)
  
- search\_resources, [17](#)
- send\_event, [8, 10](#)
- sign\_out\_user, [20](#)
- start\_app\_block\_builder, [5](#)
- start\_fleet, [5](#)
- start\_image\_builder, [5](#)
- start\_mailbox\_export\_job, [24](#)
- start\_streaming\_session, [14](#)
- start\_studio\_sso\_configuration\_repair, [14](#)
- start\_workspaces, [31](#)
- stop\_app\_block\_builder, [5](#)
- stop\_fleet, [5](#)
- stop\_image\_builder, [5](#)
- stop\_streaming\_session, [14](#)
- stop\_workspaces, [31](#)
  
- tag\_resource, [5, 7, 8, 10, 14, 20, 24, 35](#)
- terminate\_workspaces, [31](#)
- test\_availability\_configuration, [24](#)
  
- untag\_resource, [5, 7, 8, 10, 14, 20, 24, 35](#)
- update\_app\_block\_builder, [6](#)
- update\_application, [6](#)
- update\_audit\_stream\_configuration, [20](#)
- update\_availability\_configuration, [24](#)
- update\_browser\_settings, [35](#)
- update\_company\_network\_configuration, [20](#)
- update\_connect\_client\_add\_in, [31](#)
- update\_connection\_alias\_permission, [31](#)
- update\_default\_mail\_domain, [24](#)
- update\_device\_policy\_configuration, [20](#)
- update\_directory\_config, [6](#)
- update\_document, [17](#)
- update\_document\_version, [17](#)
- update\_domain\_metadata, [20](#)
- update\_entitlement, [6](#)
- update\_fleet, [6](#)
- update\_fleet\_metadata, [20](#)
- update\_folder, [17](#)
- update\_group, [25](#)
- update\_identity\_provider, [35](#)
- update\_identity\_provider\_configuration, [20](#)
- update\_image\_permissions, [6](#)
- update\_impersonation\_role, [25](#)
- update\_ip\_access\_settings, [35](#)
- update\_launch\_profile, [14](#)
- update\_launch\_profile\_member, [14](#)
- update\_logging\_configuration, [8, 10](#)
- update\_mailbox\_quota, [25](#)
- update\_mobile\_device\_access\_rule, [25](#)
- update\_network\_settings, [35](#)
- update\_portal, [35](#)
- update\_primary\_email\_address, [25](#)
- update\_resource, [25](#)
- update\_room, [8, 10](#)
- update\_rules\_of\_ip\_group, [31](#)
- update\_stack, [6](#)
- update\_streaming\_image, [14](#)
- update\_studio, [14](#)
- update\_studio\_component, [14](#)
- update\_trust\_store, [35](#)
- update\_user, [17, 25](#)



update\_user\_access\_logging\_settings,  
    [35](#)  
update\_user\_settings, [35](#)  
update\_workspace\_bundle, [31](#)  
update\_workspace\_image\_permission, [31](#)  
  
workdocs, [14](#)  
worklink, [18](#)  
workmail, [21](#)  
workmailmessageflow, [25](#)  
workspaces, [27](#)  
workspacesweb, [32](#)