

The **transparent** package

Heiko Oberdiek
<heiko.oberdiek at googlemail.com>

2007/01/08 v1.0

Abstract

Since version 1.40 pdf \TeX supports several color stacks. This package shows, how a separate color stack can be used for transparency, a property besides color.

Contents

1	User interface	1
2	Implementation	2
2.1	Identification	2
2.2	Initial checks	2
2.2.1	Check for pdf \TeX in PDF mode	2
2.2.2	Check pdf \TeX version	2
2.3	Transparency	2
3	Installation	4
3.1	Download	4
3.2	Bundle installation	4
3.3	Package installation	5
3.4	Refresh file name databases	5
3.5	Some details for the interested	5
4	History	5
	[2007/01/08 v1.0]	5
5	Index	6

1 User interface

The package `transparent` defines `\transparent` and `\texttransparent`. They are used like `\color` and `\textcolor`. The first argument is the transparency value between 0 and 1.

Because of the poor interface for page resources, there can be problems with packages that also use `\pdffageresources`.

Example for usage:

```
1 /*example*/
2 \documentclass[12pt]{article}
3
4 \usepackage{color}
5 \usepackage{transparent}
6
7 \begin{document}
8 \colorbox{yellow}{%
9   \bfseries
```

```

10  \color{blue}%
11  Blue and %
12  \transparent{0.6}%
13  transparent blue%
14 }
15
16 \bigskip
17 Hello World
18 \texttransparent{0.5}{Hello\newpage World}
19 Hello World
20 \end{document}
21 </example>

```

2 Implementation

2.1 Identification

```

22 <*package>
23 \NeedsTeXFormat{LaTeX2e}
24 \ProvidesPackage{transparent}%
25 [2007/01/08 v1.0 Using a pdfTeX's color stack for transparency (HO)]%

```

2.2 Initial checks

2.2.1 Check for pdfTeX in PDF mode

```

26 \RequirePackage{ifpdf}
27 \ifpdf
28 \else
29  \PackageWarningNoLine{transparent}%
30  Loading aborted, because pdfTeX is not running in PDF mode%
31 }
32 \expandafter\endinput
33 \fi

```

2.2.2 Check pdfTeX version

```

34 \begingroup\expandafter\expandafter\expandafter\endgroup
35 \expandafter\ifx\csname pdfcolorstackinit\endcsname\relax
36  \PackageWarningNoLine{transparent}%
37  Your pdfTeX version does not support color stacks%
38 }
39 \expandafter\endinput
40 \fi

```

2.3 Transparency

The setting for the different transparency values must be added to the page resources. In the first run the values are recorded in the .aux file. In the second run the values are set and transparency is available.

```

41 \RequirePackage{auxhook}
42 \AddLineBeginAux{%
43  \string\providetcommand{\string\transparent@use}[1]{}}%
44 }
45 \gdef\TRP@list{/TRP1</ca 1/CA 1>>}
46 \def\transparent@use#1{%
47  \@ifundefined{TRP#1}{%
48   \g@addto@macro\TRP@list{%
49     /TRP#1</ca #1/CA #1>>%
50   }%
51  \expandafter\gdef\csname TRP#1\endcsname{/TRP#1 gs}%
52 }{%
53  % #1 is already known, nothing to do
54 }%

```

```

55 }
56 \AtBeginDocument{%
57   \TRP@addresource
58   \let\transparent@use\@gobble
59 }

Unhappily the interface setting page resources is very poor, only a token register
\pdfpageresources. Thus this package tries to be cooperative in the way that it
embeds the previous contents of \pdfpageresources. However it does not solve
the problem, if several packages want to set /ExtGState.

60 \def\TRP@addresource{%
61   \begingroup
62   \edef\x{\endgroup
63   \pdfpageresources{%
64     \the\pdfpageresources
65     /ExtGState<<\TRP@list>>%
66   }%
67 }%
68 \x
69 }
70 \newif\ifTRP@rerun
71 \xdef\TRP@colorstack{%
72   \pdfcolorstackinit page direct{/TRP1 gs}%
73 }

\transparent

74 \newcommand*\transparent[1]{%
75   \begingroup
76   \dimen@=\p@\relax
77   \ifdim\dimen@>\p@
78     \dimen@=\p@
79   \fi
80   \ifdim\dimen@<\z@
81     \dimen@=\z@
82   \fi
83   \ifdim\dimen@=\p@
84     \def\x{1}%
85   \else
86     \ifdim\dimen@=\z@
87       \def\x{0}%
88     \else
89       \edef\x{\strip@pt\dimen@}%
90       \edef\x{\expandafter\@gobble\x}%
91     \fi
92   \fi
93   \if@filesw
94     \immediate\write\auxout{%
95       \string\transparent@use{\x}%
96     }%
97   \fi
98   \edef\x{\endgroup
99   \def\noexpand\transparent@current{\x}%
100 }%
101 \x
102 \transparent@set
103 }

104 \AtEndDocument{%
105   \ifTRP@rerun
106     \PackageWarningNoLine{transparent}{%
107       Rerun to get transparencies right%
108     }%
109   \fi

```

```

110 }
111 \def\transparent@current{/TRP1 gs}
112 \def\transparent@set{%
113   \@ifundefined{TRP\transparent@current}{%
114     \global\TRP@reruntrue
115   }{%
116     \pdfcolorstack\TRP@colorstack push{%
117       \csname TRP\transparent@current\endcsname
118     }%
119     \aftergroup\transparent@reset
120   }%
121 }
122 \def\transparent@reset{%
123   \pdfcolorstack\TRP@colorstack pop\relax
124 }

\textransparent
125 \newcommand*\textransparent[2]{%
126   \protect\leavevmode
127   \begingroup
128     \transparent{#1}%
129     #2%
130   \endgroup
131 }
132 </package>

```

3 Installation

3.1 Download

Package. This package is available on CTAN¹:

CTAN:macros/latex/contrib/oberdiek/transparent.dtx The source file.

CTAN:macros/latex/contrib/oberdiek/transparent.pdf Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

CTAN:install/macros/latex/contrib/oberdiek.tds.zip

TDS refers to the standard “A Directory Structure for T_EX Files” (CTAN:tds/tds.pdf). Directories with `texmf` in their name are usually organized this way.

3.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory TDS:`scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdflatfi.pl` that should be installed in such a way that it can be called as `pdflatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdflatfi.pl
cp scripts/oberdiek/pdflatfi.pl /usr/local/bin/
```

¹[ftp://ftp.ctan.org/tex-archive/](http://ftp.ctan.org/tex-archive/)

3.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain-T_EX:

```
tex transparent.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

<code>transparent.sty</code>	→ <code>tex/latex/oberdiek/transparent.sty</code>
<code>transparent.pdf</code>	→ <code>doc/latex/oberdiek/transparent.pdf</code>
<code>transparent-example.tex</code>	→ <code>doc/latex/oberdiek/transparent-example.tex</code>
<code>transparent.dtx</code>	→ <code>source/latex/oberdiek/transparent.dtx</code>

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

3.4 Refresh file name databases

If your T_EX distribution (teT_EX, mikT_EX, ...) relies on file name databases, you must refresh these. For example, teT_EX users run `texhash` or `mktexlsr`.

3.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk transparent.pdf unpack_files output .
```

Unpacking with L^AT_EX. The `.dtx` chooses its action depending on the format:

plain-T_EX: Run `docstrip` and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for `docstrip` (really, `docstrip` does not need L^AT_EX), then inform the autodetect routine about your intention:

```
\latex \let\install=y\input{transparent.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex transparent.dtx
makeindex -s gind.ist transparent.idx
pdflatex transparent.dtx
makeindex -s gind.ist transparent.idx
pdflatex transparent.dtx
```

4 History

[2007/01/08 v1.0]

- First version.

5 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols \@auxout 94 \@gobble 58, 90 \@ifundefined 47, 113	\newcommand 74, 125 \newif 70 \newpage 18
	P
A \AddLineBeginAux 42 \aftergroup 119 \AtBeginDocument 56 \AtEndDocument 104	\p@ 76, 77, 78, 83 \PackageWarningNoLine 29, 36, 106 \pdfcolorstack 116, 123 \pdfcolorstackinit 72 \pdfpageresources 63, 64 \protect 126
B \begin 7 \bfseries 9 \bigskip 16	\providecommand 43 \ProvidesPackage 24
	R
C \color 10 \colorbox 8 \csname 35, 51, 117	\RequirePackage 26, 41
	S
	\strip@pt 89
	T
D \dimen@ 76, 77, 78, 80, 81, 83, 86, 89 \documentclass 2	\texttransparent 18, 125 \the 64 \transparent 12, 74, 128 \transparent@current 99, 111, 113, 117 \transparent@reset 119, 122 \transparent@set 102, 112 \transparent@use 43, 46, 58, 95 \TRP@addresource 57, 60 \TRP@colorstack 71, 116, 123 \TRP@list 45, 48, 65 \TRP@reruntrue 114
	U
E \end 20 \endcsname 35, 51, 117 \endinput 32, 39	\usepackage 4, 5
	W
G \g@addto@macro 48 \gdef 45, 51	\write 94
	X
I \if@filesw 93 \ifdim 77, 80, 83, 86 \ifpdf 27 \ifTRP@rerun 70, 105 \ifx 35 \immediate 94	\x 62, 68, 84, 87, 89, 90, 95, 98, 99, 101
	Z
L \leavevmode 126	\z@ 80, 81, 86
	N
\NeedsTeXFormat 23	